







SWEET vessel

HOME Bathtub

BOX One-piece countertop

WARNING

Your water heater must be set at a temperature lower than 60°C or 140°F. Your Unimar 3.0 fixture may be subject to a thermal shock when experiencing successive sudden changes in water temperature, from too hot (higher than 60°C or 140°F) to very cold (lower than 15°C or 59°F). Excessive temperature can therefore damage the product and be considered abusive use in regards to the warranty. Our product is compliant with the CSA standards regarding tolerance to temperature variations not exceeding 45°C or 113°F.

MAINTENANCE

Wash with a soft cloth or sponge and a non-abrasive bathroom detergent. Never use abrasive creams, ammonia, bleach, scraper or wire brush which may scratch or dull the surface.

For persistent stains caused by hard water or other ferrous residues, clean with a soft cloth and a non-abrasive product specially formulated for this type of stain and containing no ammonia or bleach. For example you can use a product such as Cerama Bryte for bathrooms: Apply on the surface, let sit for a few minutes, rub lightly with a soft cloth. You can also remove lime scale with a no scratch bathroom scrub sponge such as *Vileda* or *Scotch Brite*. Warning: Remove any trace of cleaner before to avoid risk of scratches.

For superficial scratches, sand the surface using a fine grain sanding paper #1000 to #2000 and water. Then polish using a polisher with a soft bonnet coated with a polishing cream such as used in the automobile industry.

WARNING: In any cases, test on an inconspicuous area before applying to the entire surface.



COUNTERTOPS

SLATE - SINK-COUNTERTOP AND BASE

Your slate sink-countertop has been coated with Marius Fabre black soap, an entirely natural and ecological product of olive oil and potash. Black soap protect, cleans, sanitizes, nourishes in depth and brightens the slate. To remove white spots of water or limestone, you can use black soap on a sponge, wash and rinse with warm water. If you don't have Marius Fabre black soap, you can use a solution of hot water (in a bowl), a few drops of dishwashing detergent and a few drops of white vinegar and vegetable oil. To bring back the original slate color and brilliance: apply undiluted Marius Fabre black soap on your vanity, lets penetrate about 30 minutes. Wipe. You can also protect it by applying a cloth coated with vegetable oil.

QUARTZ DISTINCTION QUARTZ

Thanks to its non-porous surface, the quartz is very resistant and keeps its natural luster for years to come. For daily care, use warm water and few drops of a neutral PH mild detergent, rince and towel dry. For stains lather up a no scratch bathroom scrub sponge such as *Vileda* or *Scotch Brite* with water and few drops of dishwashing liquid, rub lightly then rinse and towel dry. For persistent stains, use *Method Daily Granite*, sold in large surface stores.

WARNING: It is important to know that like any other surface, quartz can be damaged if exposed to chemicals and solvents that can damage its physical properties. Never clean your quartz surface with products such as paint removers or strippers. Avoid the use of highly aggressive cleaning agents such as oven/grill cleaners and dishwasher polishing agents that have high alkaline/pH levels (pH 8.5 or higher). Products containing oils or powders may leave a residue and should be rinsed off thoroughly. Should your surface accidentally be exposed to any of these damaging products, rinse immediately with clean water to neutralize the effect.

FURNITURE

DISTINCTION WOOD, WOOD, SATIN LACQUER AND HIGH GLOSS LACQUER

For the first 20 days, clean with a sponge and lukewarm water only. This will allow the coating to set permanently. Subsequently, daily maintenance with warm water and mild soap is recommended. Never use abrasive powder or cream. Never use varsol or any other paint solvent; this would damage the lacquer that protects your furniture. Wipe away any liquid quickly.

SOLID WOOD AND WOOD VENEER WITH OIL

For everyday cleaning use a humid cloth only. For greasy stains, toothpaste or cosmetics, use a non-abrasive watery emulsion liquid detergent with a low wax content. Several neutral cleaners are available on the market.

For maintenance of worn-out or highly exposed surfaces, simply clean with a damp cloth. Let it dry then apply an oiled maintenance product. Pour oil on a cloth and extend to cover the worn-out surface and surrounding surfaces. Leave it penetrate the surface and remove excess with a dry cloth. Rub the affected area with a dry cloth to give the same soft and satiny appearance as the surrounding areas.

OILED SOLID SUBMERGED WOOD

For daily care, use a soft cloth with warm water or mild soap. Never use abrasive powder or cream. Never use paint solvent or polish remover that could damage the oil tha protects your furniture. Wipe away immediately any liquid.

THERMOFOIL

Clean with lukewarm water or a mild soap. Avoid abrasive powders or creams because the product is sensitive to organic solvents. Minor scratches can sometimes be removed. You need to rub them gently with a high quality car wax and then polish them using a carnauba based paste wax.

WARNING: For any surface, always test your cleaning solution on an inconspicuous area before applying to the entire surface.



WARRANTY TERMS

Defective parts or defects in material or workmanship will be replaced or repaired according to the manufacturer's choice of product of similar value, free of charge, excluding installation, for the original purchaser. This warranty takes effect from the date of delivery of the VANICO-MARONYX product to its dealer. Uninstalling costs shall be paid by the purchaser. Normal use of parts such as bulbs is not covered by the warranty.

The replacement of a part under warranty is as follow: the replacement part will be shipped at no cost to the retailer or to the customer's home at his expense. In any case, installation costs are not covered. In most areas, your retailer will be able to direct you to a certified installer. See next page for the Limits and validity of this warranty, the General warranty cancellation clauses and the Limit of responsability.

WARRANTY

1 year	Electrical components Operation, excluding bulbs
2 years	Mirror Against oxidation
3 years	Slate Against cracks due to thermal shocks
	Oiled finish
	Lacquer finish (wood, satin and high gloss lacquer) Against cracking or adhesion failure of the lacquer
	Undermount sink Against separation of the sink from the countertop
5 years	Acrylic
	Melamine Against adhesion failure of the PVC edge
	Hardware (hinges, slides, handles) Operation, finish
	Faucet/drain Plating
	Thermofoil Against adhesion failure of the material
	UNIMAR 3.0 Against cracks due to thermal shocks and warping of more than $\frac{1}{8}$ " per linear foot
10 years	Quartz
Life warranty	Faucet/drain Mechanical working parts including ceramic disc cartridges for valves and seals



LIMITS AND VALIDITY OF THIS WARRANTY

- This warranty applies only to the original purchaser for residential use, in the country of the store where the purchase was concluded.
- 2. This warranty is the only one recognized by the manufacturer.
- 3. A proof of purchase is required for a claim under warranty.
- Excessive humidity in the bathroom can affect the finish of the furniture. The installation of a fan is mandatory for the warranty to be valid.
- This warranty does not apply if mirror damages are caused by the lack of a seal of silicone on the bottom and the sides of the mirror.

GENERAL WARRANTY CANCELLATION CLAUSES

No warranty will be applicable to any damage resulting from:

- 1. Damage during installation.
- 2. Accidents, alterations, abusive or wrongful uses of the product.
- 3. Inadequate air circulation.
- 4. Faulty care and cleaning procedure.
- 5. Commercial or industrial uses.
- 6. Damage caused by fire, water, excessive heat.
- Damage to the washbasin caused by the use of tap water exceeding 60°C (140°F) or radical changes in temperature (from very hot to very cold).
- 8. Electrical overload.
- Improper storage conditions before installation: abnormal temperature or inadequate air circulation.
- 10. Natural disasters or any other fortuitous event, disaster or unexpected or incontrollable event.

LIMIT OF RESPONSIBILITY | NATURAL MATERIALS

QUARTZ

Vanico-Maronyx selects and examines each slab individually in order to ensure its quality meets Vanico-Maronyx standards. There can be variations in the veining, microfissures, microporosities, and the presence of other minerals (quartz, mica, iron, etc.) which can change the look, the form of the veins and the color of the slabs purchased, in comparison with the samples. These variations are normal and cannot serve as a reason to obtain a price reduction or a replacement or to cancel the order. In addition, Vanico-Maronyx will not be held responsible if your quartz slab is damaged due to the use of a chemical product as recommended in the installation guides.

WOOD

VANICO-MARONYX always uses first quality wood. As a natural material, wood presents variations in regards to form, color and grain. The presence of grain also causes variations in dye absorption. Therefore, it is normal for the color of the dye to vary. Such variations appearing on the furniture itself, or on purchased material in comparison with the samples, must be viewed as normal and do not constitute a reason for price reduction, replacement or order cancellation.

COMPLIANCE WITH ENVIRONMENTAL STANDARDS

VANICO-MARONYX complies with CARB 93120 (California Air Resources Board) norms for its supply of Melamine, MDF and wood.