



# FURNSPIN LINEN CABINET



# PENTHOUSE SERIES

# INDEX



03

3 VERSIONS

04

TURNING SWIVELLING FITTING  
FURNSPIN

05

OPTIONS



Metal bar available in black or white.



A-134-S

## COLOR DEVELOPMENT IN SATIN LACQUER

Custom color developed from a Benjamin Moore paint code. Includes the production of a sample for approval (2-3 weeks lead time). The order will be confirmed once the sample is approved.

Note: Vanico-Maronyx reserves the right to change without notice a technical feature, a component or a manufacturing aspect, as deemed necessary.

## TECHNICAL SUPPORT

(450) 471-4447 | 1 800 921-9508, ext. 710

[quote@vanico-maronyx.com](mailto:quote@vanico-maronyx.com) | [www.vanico-maronyx.com](http://www.vanico-maronyx.com)

## Furniture

S	Sublime	W	Wood
		L	Satin lacquer

## CONTEMPORARY



## METAL



Black or white metallic head trim and legs.



## TRANSITIONAL




Solid wood or satin lacquer head trim and legs.

## TURNING SWIVELLING FITTING FURNSPIN

FurnSpin brings a refined, architectural motion to the bathroom. Its advanced turning-swivelling mechanism allows the storage module to rotate smoothly on its own axis, revealing the interior without the need for swinging doors or extra clearance.

The entire element glides forward in one fluid movement, then returns to a perfectly aligned, seamless façade. Nearly invisible when closed and engineered for soft, quiet operation, FurnSpin elevates everyday storage with a blend of technical precision and graceful design.



With dressing station option



Bottom door  
always with  
push-to-open  
mechanism.

Without options



#### **DRESSING STATION**

Magnifying mirror (1x/5x, warm, neutral and cold lighting color, USB charging)

1 magnetic bar

2 cosmetic dividers

**A-154-L**

#### **FLAT IRON AND DRYER HOLDER**

In stainless steel

For bottom door

Note: smaller glass shelf

**A-169**

#### **LAUNDRY BASKET WITH PUSH-TO-OPEN DRAWER**

Removable basket with velcro and handles, easy to transport.

100% cotton, machine washable.

**A-166**